



Natural Areas Protection Tax Exemption Program (NAPTEP)



TRUST FUND BOARD BASELINE REPORT STANDARD (2007)

INTRODUCTION

The following document is intended as a guide for those preparing baseline inventory reports on properties owned and covenanted by the Trust Fund Board.

What is a “baseline inventory report” and why is it important?

A baseline inventory report is an integral part of every conservation covenant. It is a record of the condition of a covenant area at the time the covenant is registered and typically includes information on flora and fauna, as well as on other natural features. The baseline report acts as a legal tool—it justifies a covenant’s presence and helps to enforce it should there be violations. As an additional function, it can also act as a record of natural change over time on a property.

How detailed does the baseline report need to be?

The level of detail in a baseline report is determined by the information required to legally establish the condition of the property at the time the covenant is registered. Information should be presented in simple language and should be understandable to the average person. The baseline report serves as a record of the values present on a covenant area at the time of the covenant’s registration, highlighting the natural, cultural and geological value(s). As a guide, baseline reports for the Trust Fund Board should be approximately 6-10 pages in length (Times New Roman, 11pt.), excluding maps and photographs.

Before Beginning a Baseline Report You Must:

- Have and read a copy of the draft covenant.
- Have a final completed survey of the covenant area done by a registered British Columbia Land Surveyor (B.C.L.S.).
- Ensure that the environmental professional conducting the baseline report is approved by the Trust Fund Board.

Recommended Baseline Documentation Procedures:

Who Should Collect Information?

To ensure that the contractor hired to complete the baseline report is a qualified individual, it is important that he/she be approved by the Trust Fund Board *prior* to any data collection. In some instances, the Trust Fund Board may recommend that biologists, foresters, landscape planners, etc. be consulted.

Time of Collection:

Baseline inventories should be conducted when the ecological/special feature of interest is best observed. As a rule of thumb, springtime generally provides the best opportunity for species identification. Special attention should be taken not to disturb rare species during sensitive times (e.g., Peregrine Falcons during nesting).

Other considerations when deciding the time to collect baseline data include the availability of covenant holder(s) and landowner(s), as they may need to provide information or wish to be present during site visits. Presence of interested parties is also helpful in identifying locations for photo stations, covenant area boundaries and special features.

Where to Get Information:

The following are the primary resources used to complete a baseline report:

- The *Draft Conservation Covenant* will provide a legal description of the property.
- *Landowners* are an obvious and often rich source of information. Landowner questionnaires, discussions and property tours can be particularly helpful.
- The landowner must supply the person conducting the baseline report with a *Survey of the Covenant Area* done by a British Columbia Land Surveyor.
- A *site visit* is an integral component of a baseline report and will provide information about vegetation and animal species present in the area.
- The *Trust Fund Board* can provide some digital map layers and aerial photographs as well as digital orthophotography.
- The *BC Conservation Data Centre (CDC)* is a good resource for identifying rare plants and animals as well as rare plant associations.
- The *BC Forest Service* or a company like *Weyerhaeuser* may be able to provide information on past logging history on the land.
- The *Land Reserve Commission* will provide information on whether the land in the Agricultural Land Reserve or the Private Managed Forest Lands.
- The local *Official Community Plan* can provide zoning information for the land.

CRITICAL ELEMENTS IN THE BASELINE REPORT

The following is a list of critical elements that must be included in any baseline report. The report is typically no longer than 6-10 pages (1 inch margins, 11 pt Time New Roman font,) excluding maps, sketches, photographs and other pertinent attachments. It must be approved by the landowner and can only be completed **AFTER** the survey of the covenant area is complete. Attached to this document is fictional example of a typical baseline report.

1.0 Acknowledgment

The property owner **MUST** review the baseline report and acknowledge that it is accurate by signing the covenant.

2.0 Property Location and Description

Property location and description should include:

- 2.1 Location of property, location of the covenant area, closest BC ferry dock and directions from ferry dock.
- 2.2 Legal description as provided by the Trust Fund Board.
- 2.3 Property and covenant size (from covenant survey).

Covenant area boundaries must be clearly marked on the property. The landowner should be consulted regarding the method used to mark boundaries.

3.0 History of the Site

- 3.1 Provide a general history of the covenant area including time of settlement, history of buildings, archeological information and other improvements, etc.
- 3.2 Provide a land use history of the covenant area including a description of past clearing, logging, resource extraction, farming, etc.

4.0 List of Buildings, Structures and Other Improvements

Describe any buildings, structures and improvements to the property. Show all buildings, structures and other improvements and trails on the baseline report map.

- 4.1 List any buildings in the covenant area (houses, cottages, studios, workshops, etc)
- 4.2 List any structures in the covenant area (sheds, outhouses, chicken coups, well heads, power lines, utility corridors, etc)
- 4.3 List any other improvements to the land (roads, trails, etc.)

5.0 Significance of the Land and Amenities

- 5.1 In a one easy-to-read, narrative paragraph provide a general description of the land with an emphasis on the amenities being protected.
- 5.2 Note any red or blue listed species or ecological communities. The Conservation Data Centre (CDC) website is helpful for determining these, www.env.gov.bc.ca/cdc.

6.0 Inventory by Vegetation Type

The inventory of biological features by vegetation type accompanies the Map of the Covenant Area. The Map of the Covenant Area is a snapshot of the current state of the covenant area on the date the data for the baseline report was collected. The date that data was collected should be included in this section of the baseline report and on the map of the covenant area contained in the report.

6.1 In this section each vegetation type is described in 2-3 sentences. Vegetation types are plant communities, consisting of several layers (canopy, secondary canopy, understorey), that are influenced by moisture, elevation, soil type, aspect, and disturbance history. Vegetation types may include more than one site series or may be termed "variable" if many are found in close proximity to one another. Each vegetation type must have at least one representative photograph (see information on photographs, below).

List, in a table format, the canopy species, secondary canopy species and understorey species observed in each vegetation type. Include information on rare/threatened species and locally uncommon species. Note special features, expected changes and disturbance history of the site.

In a separate table indicate potential wildlife habitats/features, observed animal species and rare/threatened species and locally uncommon species. Evidence of animals can be included in this section. For example, Beaver (*Castor Canadensis*) could be listed if a beaver dam and evidence of freshly cut trees were observed.

Species in this section should be noted using both their scientific and common names. Red and blue listed species as well as invasive species should be noted.

6.2 Indicate any risks to the covenant area. For example, is it likely that invasive species will spread or germinate in other locations in the covenant area? Are there any areas where flooding or erosion might change the characteristics of the vegetation type? Is there heavy browsing of young vegetation or other animal activity that might change the landscape? Are there any areas that are susceptible to human damage?

7.0 Accompanying photos and maps

Provide a list of attached appendices and maps. The following must be included as attachments:

Map of the Covenant Area

Attached to the baseline report is a detailed map of the covenant area. The map must be in black and white, as coloured documents are not accepted by the Land Titles Office. The map should detail the following:

1. buildings, structures and other improvements to the land. For example: sheds, cottages, workshops, outhouses, wells, utility corridors, roads, trails, barns, etc
2. vegetation types as they are described in section 6
3. significant patches of invasive vegetation
4. photo stations: Any place that a photo has been taken
5. survey pins
6. contour lines
7. any important natural or geological features. For example: large rock outcrops, streams, bodies of water, cliffs, eagle nesting trees, etc
8. if applicable, any areas where restoration is taking place

Each map should also have:

1. a north arrow
2. a scale bar
3. a scale (e.g., 1:2,500)
4. a date
5. a title

Photographic Documentation

Photographs are used to establish the general state of each vegetation type and to record any significant features of the covenant area. Two sets of photographs must be provided for the following:

1. significant values: there should be photographs of natural, cultural and geological features that are being protected in the covenant area
2. vegetation types: each vegetation type should be documented by at least one photograph
3. structures: buildings, trails, roads, utility corridors, etc
4. significant patches of invasive species
5. areas considered at risk. For example, a property line adjacent to a parking lot or an area where erosion is occurring.

The number of photographs taken will vary depending on the covenant area. Photographs are independent of the baseline report; they are not submitted to the Land Titles Office. They are contained in Appendix I and are filed with all parties (Trust Fund Board, landowner and co-covenant holder (if applicable)).

All photographs taken for the baseline report, whether digital or on film must be labelled on the covenant area map in the report. While digital cameras may be used, a full set of prints must be developed for each party Trust Fund Board, landowner and co-covenant holder (if applicable)). Each photograph must have listed on the back:

1. date/time
2. location
3. name of photographer
4. reference letter: reference letters should be sited in the text of the report and illustrated on a map. digital photographs, with their reference numbers as their file names, should also be submitted on a disk

Photo stations should be established in areas that are easy to relocate. Each photograph should be accompanied by:

1. a description of the physical location and method used to mark the photo station: The description should include a distance (in metres) and an azimuth from a permanent landmark or survey point. Photo locations for larger properties should be especially well documented.
2. an azimuth direction indicating the direction in which the photo was taken

SAMPLE BASELINE REPORT

Initialed by Landowner: _____

SCHEDULE B

Attached to and forming part of the Covenant Agreement between the TRUST FUND BOARD, Covenant Holder, and the Owner, Jane Smith, dated as of the 29th day of August, 2005.

BASELINE DOCUMENTATION REPORT

1.0 Acknowledgment

- 1.1 The Owner and [insert name, address and phone number of environmental consultant] hereby acknowledge and agree that the following is an accurate description of the covenant area as of the reference date of this Agreement.

2.0 Location and Description

- 2.1 The covenant area is located on the East side of Jade Island. From the B.C. Ferries terminal at Jade Island travel East on Sunset Point Road 0.6 km. Turn right on Whileye road and proceed 1.3 km to the gate of 1443 Whileye Road. The covenant area is located in the southeast corner of the property.
- 2.2 "Covenant Area" means that part of the parcel of land legally described as: Part of Section 77, Jade Island, Green District as shown on the Plan. "Plan" means the Reference Plan of Covenant, over Part of Section 77, Jade Island, Green District certified correct by Adam Brown, B.C.L.S.¹ and dated August 13, 2005, and deposited in the Victoria Land Title Office under VIP _____² a reduced copy of which forms Schedule A³ to this Agreement.
- 2.3 The covenant area is 8.154 ha, including about 0.5 ha of open rock out crop and 7.7 ha of closed canopy forest.

3.0 Site History

- 3.1 Section 77 was crown granted as part of an 1888 survey to Gordon Smitt. From 1954 to 1955 there was a small sawmilling operation in the western portion of the covenant area. In 1961 it was subdivided into 15 lots, one of which is lot 1, the location of the covenant area. From 1975 – 1985 sheep were grazed on the land. The old sheep shed is still in the southeast section of the property.
- 3.2 The South and Southwest portions of the area were selectively logged in 1953 for old growth Douglas-fir. There has been no tree cutting, clearing or road building has occurred since this time.

4.0 List of buildings, structures and other improvements

Structures and other property improvements are shown in the Map of the Covenant Area.

¹ B.C.L.S. = British Columbia Land Surveyor

² This is left blank to be filled in by the Land Titles Office.

³ Refers to the section of the covenant document that contains the B.C.L.S. survey.

- 4.1 There are no large buildings in the covenant area, although a house is located in the southwestern corner of the property outside the covenant area.
- 4.2 Structures found in the covenant area:
 - An old sheep shed in the southeast corner of the covenant area.
- 4.3 Other improvements in the covenant area:
 - A trail that has been used by the owner to access the rocky outcrop at the upper end of the property
 - A trail that has been used to access the old sheep shed which is no longer in use.

5.0 Significance of the Land and Amenities

- 5.1 The covenant area includes Douglas-fir-Salal forest and herbaceous-terrestrial rock outcrop ecosystems on a steep, broad Northwest-Southeast trending sandstone slope. Rock outcrop ecosystems form only a small proportion of the Coastal Douglas-fir zone in which the covenant area is located.
- 5.2 Species of Flora and Fauna and Natural Plant Communities found in the covenant area and designated as red or blue listed by the Ministry of Sustainable Resource Management’s Conservation Data Centre (CDC) are:

Red Listed

Edith’s Checkerspot (*Euphydryas editha taylori*)
 Sharp-tailed Snake (*Contia tenuis*)
 Western Red Cedar / Vanilla Leaf (*Thuja plicata* / *Achlys triphylla*) Natural Plant Community

Blue Listed

Red-legged Frog (*Rana aurora*)
 Great Blue Heron (*Ardea herodias fannini*)
 Douglas-fir / Arbutus Natural Plant Community (*Pseudotsuga menziesii* / *Arbutus menziesii*)

6.0 Inventory of Biological Features

An inventory of the biological features of the covenant area was conducted on September 4, 2004. Four vegetation types are recognized (see attached map).

- 6.1 Vegetation is in the Coastal Douglas-fir Biogeoclimatic Zone. Vegetation types found in the covenant area are as follows:

Vegetation type 1: Douglas-fir-Arbutus-Moss woodland (CDFmm/00 & CDFmm/01). Rock outcrop is about 15% of this type. Slopes are gentle to moderate; soils are very shallow, coarse textured colluvium. This is an open canopy, mossy floored upper slope woodland made up primarily of Douglas-fir.

FLORA

Main Canopy Species & percent cover	Douglas-fir (<i>Pseudotsuga menziesii</i>) 30%, Arbutus (<i>Arbutus menziesii</i>) 5% BLUE LISTED PLANT ASSOCIATION
--	--

Age (estimated) Height (estimated) DBH (estimated)	Uneven-aged, 80-300+ yrs (upper age unknown) 30-40 m 50-150 cm
Secondary Canopy Species & percent cover Age (estimated) Height (estimated) DBH (estimated)	Douglas-fir (<i>Pseudotsuga menziesii</i>), 5% 25-80 yrs 10-25 m 10-30 cm
Total Canopy Cover	30%
Understorey (species & percent cover) (note invasives) Shrubs, including trees <10 m Herbs, ferns, mosses, etc.	Dull oregon grape (<i>Mahonia nervosa</i>), 2% Hairy honeysuckle (<i>Lonicera hispidula</i>), 1% Dusky fork moss (<i>Dicranum scoparium</i>), 10% Reindeer lichen (<i>Cladina</i> sp.), 5% Broad-leaved stonecrop (<i>Sedum spathulifolium</i>), 2% Brittle prickly-pear cactus (<i>Opuntia fragilis</i>), <1% Orchard-grass (<i>Dactylis glomerata</i>), 5% INVASIVE
Observed rare/threatened species & locally uncommon species	None observed
Special Features	Wildflowers in more open areas in the spring/early summer (observed by landowner)
Expected Changes	Douglas-fir is shade tolerant on this site, and thus will continue to dominate the stand
Disturbance History	Fire/wind throw, last fire +/- 120 yrs ago, fire scarred vets

FAUNA

Wildlife Habitat / Features	<ul style="list-style-type: none"> • large Fd snags may be suitable nesting/perching sites • South facing slopes with rocky ledges, habitat for snakes & lizards. The Trust Fund Board may want to have a survey prepared to determine if red-listed species, like Sharp-tailed snake (<i>Contia tenuis</i>), are present. • Arbutus berries seasonal food for birds
Observed Species (note invasives)	BIRDS

	<p>American robin (<i>Turdus migratorius</i>) Common raven (<i>Corvus corax</i>) Black-capped chickadee (<i>Poecile atricapilla</i>) Several unidentified songbirds</p> <p>MAMMALS Black-tailed deer (<i>Odocoileus hemionus</i>) (evidence) Deer mouse (<i>Peromyscus maniculatus</i>)</p>
Rare/threatened species & locally uncommon species	<p>Northern alligator lizard (<i>Elgaria coerulea</i>) Evening grosbeak (<i>Coccothraustes vespertinus</i>) Northern shrike (<i>Lanius excubitor</i>)</p>

Vegetation type 2: Douglas-fir-Arbutus-Symphoricarpos-rock outcrop. Open rock outcrop community with shallow, fine textured colluvial soils on ledges.

FLORA

<p>Main Canopy Species & percent cover</p> <p>Age (estimated)</p> <p>Height (estimated)</p> <p>DBH (estimated)</p>	<p>Douglas-fir (<i>Pseudotsuga menziesii</i>), 15%, Arbutus (<i>Arbutus menziesii</i>) 5%</p> <p>BLUE LISTED PLANT ASSOCIATION Uneven-aged, 80-300+ yrs (upper age unknown) 30-40 m 50-150 cm</p>
<p>Secondary Canopy Species & percent cover</p> <p>Age (estimated)</p> <p>Height (estimated)</p> <p>DBH (estimated)</p>	<p>Douglas-fir (<i>Pseudotsuga menziesii</i>), 5% 25-80 yrs 10-25 m 10-30 cm</p>
Total Canopy Cover	20%
<p>Understorey (species & percent cover) – note invasives</p> <p>Shrubs, including trees <10 m</p> <p>Herbs, ferns, mosses, etc.</p>	<p>Common snowberry (<i>Symphoricarpos albus</i>), 10% Scotch broom (<i>Cytisus scoparius</i>), 20%, INVASIVE Seablush, 5%</p>
Observed rare/threatened species & locally	Phantom orchid (<i>Cephalanthera austiniae</i>)

uncommon species	RED LISTED
Special Features	Open park-like nature, potentially abundant wild flowers in the spring (observed by owner)
Expected Changes	Douglas-fir is shade tolerant on this site, and thus will continue to dominate the stand
Disturbance History	Fire/wind throw, last fire +/- 120 yrs ago, fire scarred vets, cleared in south portion for sawmilling site (note the Scotch broom)

FAUNA

Wildlife Habitat / Features	<ul style="list-style-type: none"> • large Fd snags may be suitable nesting/perching sites • South facing slopes with rocky ledges, habitat for snakes & lizards, including red listed Sharp-tailed snake • Arbutus berries seasonal food for birds
Observed Species (note invasives)	<p>BIRDS</p> <p>American robin (<i>Turdus migratorius</i>) Common raven (<i>Corvus corax</i>)</p> <p>MAMMALS</p> <p>Black-tailed deer (<i>Odocoileus hemionus</i>)</p>
Rare/threatened species & locally uncommon species	<p>Sharp-tailed snake (<i>Contia tenuis</i>) RED LISTED</p> <p>Northern alligator lizard (<i>Elgaria coerulea</i>) Evening grosbeak (<i>Coccothraustes vespertinus</i>) Northern shrike (<i>Lanius excubitor</i>)</p>

Vegetation type 3: Douglas-fir-Salal forest (CDFmm/01). This is the zonal forest of the Coastal Douglas-fir zone. Slopes are gentle; soils are moderately deep and coarse textured sandy loams and glacial deposit materials. Low sandstone ridge outcrops are common.

FLORA

Main Canopy Species & percent cover	Douglas-fir (<i>Pseudotsuga menziesii</i>), 40% Western redcedar (<i>Thuja plicata</i>), 15%* Arbutus (<i>Arbutus menziesii</i>), 2%
Age (estimated)	Uneven aged, 25-125 yrs
Height (estimated)	20-35 m
DBH (estimated)	50-125 cm
Secondary Canopy	

Species & percent cover	Douglas-fir (<i>Pseudotsuga menziesii</i>), 5% Western redcedar (<i>Thuja plicata</i>), 10%*
Age (estimated)	25-50 yrs
Height (estimated)	10-25 m
DBH (estimated)	10-30 cm
Total Canopy Cover	50%
Understorey (species & percent cover) – note invasives	
Shrubs, including trees <10 m	Salal (<i>Gaultheria shallon</i>), 30% Himalayan blackberry (<i>Rubus discolor</i>), 5% INVASIVE, Dieing out Dull Oregon-grape (<i>Mahonia nervosa</i>), <1% Common snowberry (<i>Symphoricarpos albus</i>), 10%
Herbs, ferns, mosses, etc.	Oregon beaked moss (<i>Kindbergia oregana</i>), 20% Step moss (<i>Hylocomium splendens</i>), 20% Hairy honeysuckle (<i>Lonicera hispidula</i>), <1% Small hair moss (<i>Oligotrichum aligerum</i>), 20% Peppered moon lichen (<i>Sticta fuliginosa</i>), 5% Sword fern (<i>Polystichum munitum</i>), 5% Vanilla leaf (<i>Achlys triphylla</i>), 5% * Seablush, 5%
Observed rare/threatened species & locally uncommon species	None observed.
Special Features	Richer site, trees are younger than vegetation types 1 & 2, but almost the same size
Expected Changes	Douglas-fir expected to grow much larger.
Disturbance History	Wind throw, selective logging approximately 50 yrs ago for Douglas-fir

*Western redcedar and Vanilla leaf are a **RED LISTED PLANT ASSOCIATION**

FAUNA

Wildlife Habitat/Features	<ul style="list-style-type: none"> • large Fd snags may be suitable nesting/perching sites • Arbutus berries seasonal food for birds • Abundance of large woody debris may be suitable for newts, salamanders and frogs
Observed Species (note invasives)	BIRDS Rufous hummingbird (<i>Selasphorus rufus</i>)

	<p>Belted kingfisher (<i>Ceryle alcyon</i>)</p> <p>MAMMALS</p> <p>River otter (<i>Lontra Canadensis</i>) (sign observed)</p> <p>Deer mouse (<i>Peromyscus maniculatus</i>) (sign observed)</p> <p>AMPHIBIANS</p> <p>Pacific treefrog (<i>Pseudacris regilla</i>)</p> <p>Bull frog (<i>rana catesbeiana</i>) INVASIVE</p>
Rare/threatened species & locally uncommon species	<p>Great blue heron (<i>Ardea herodias fannini</i>) BLUE LISTED</p> <p>Edith's checkerspot (<i>Euphydryas editha taylori</i>) RED LISTED</p>

Vegetation type 4: Douglas-fir-Oregon-grape-Oceanspray forest (CDFmm/00). Closed canopy forest with a rich understorey of shrubs and forbs. Slopes are very steep on an escarpment and toe slope; soils are deep, fine textures colluvium with large colluvial boulders.

FLORA

<p>Main Canopy</p> <p>Species & percent cover</p> <p>Age (estimated)</p> <p>Height (estimated)</p> <p>DBH (estimated)</p>	<p>Douglas-fir (<i>Pseudotsuga menziesii</i>), 60%</p> <p>Western redcedar (<i>Thuja plicata</i>), 10%</p> <p>Arbutus (<i>Arbutus menziesii</i>), 3%</p> <p>Broadleaf maple (<i>Acer macrophyllum</i>), 3%</p> <p>Uneven aged, 25-125 yrs</p> <p>20-35 m</p> <p>40-125 cm</p>
<p>Secondary Canopy</p> <p>Species & percent cover</p> <p>Age (estimated)</p> <p>Height (estimated)</p> <p>DBH (estimated)</p>	<p>Douglas-fir (<i>Pseudotsuga menziesii</i>), 5%</p> <p>Western redcedar (<i>Thuja plicata</i>), 10%</p> <p>Scouler's willow (<i>Salix scouleriana</i>), 3%</p> <p>25-50 yrs</p> <p>10-15 m</p> <p>10-30 cm</p>
Total Canopy Cover	60%
<p>Understorey (species & percent cover) – note invasives</p> <p>Shrubs, including trees <10 m</p>	<p>Western hemlock (<i>Tsuga heterophylla</i>), 5%</p> <p>Dull Oregon-grape (<i>Mahonia nervosa</i>), 10%</p> <p>Oceanspray (<i>Holodiscus discolor</i>), 10%</p> <p>Salal (<i>Gaultheria shallon</i>), 5%</p> <p>Falsebox (<i>Paxistima myrsinites</i>), 5%</p>

Herbs, ferns, mosses, etc.	Baldhip rose (<i>Rosa gymnocarpa</i>), 2% Hairy honeysuckle (<i>Lonicera hispidula</i>), 5% Sword Fern (<i>Polystichum munitum</i>), 5% Bracken Fern (<i>Pteridium aquilinum</i>), <1% Stair Step Moss (<i>Hylocomium splendens</i>), 20% Lanky Moss (<i>Rhytidiadelphus loreus</i>), 5% Oregon beaked moss (<i>Kindbergia oregana</i>), 20%
Observed rare/threatened species & locally uncommon species	None observed.
Special Features	Richer more diverse site, trees are younger than vegetation types 1 & 2, but almost the same size
Expected Changes	Douglas-fir expected to grow much larger creating a more diversely layered canopy. Hemlock may increase in understorey.
Disturbance History	Wind throw, selective logging approximately 50 yrs ago for Douglas-fir

FAUNA

Wildlife Habitat / Features	<ul style="list-style-type: none"> • large Fd snags may be suitable nesting/perching sites • Arbutus berries seasonal food for birds • Abundance of large woody debris may be suitable for newts, salamanders and frogs
Observed Species (note invasives)	<p>BIRDS</p> <p>Pileated Woodpecker (<i>Dryocopus pileatus</i>) (evidence)</p> <p>Barred Owl (<i>Strix varia</i>) (evidence)</p> <p>Downy Woodpecker (<i>Picoides pubescens</i>)</p> <p>MAMMALS</p> <p>River Otter (<i>Lontra canadensis</i>) (sign observed)</p> <p>Deer Mouse (<i>Peromyscus maniculatus</i>)</p> <p>AMPHIBIANS</p> <p>Red-legged Frog (<i>Rana aurora</i>)</p>
Rare/threatened species & locally uncommon species	None observed

6.1 Potential Risks to the Covenant Area

Vegetation type 2 contains a large patch of Scotch Broom (*Cytisus scoparius*) in the old sawmilling site. Scotch Broom is a concern in this area due to the openness of the Douglas-fir/Arbutus woodland and the disturbed nature of this site. It threatens the ability of seedlings in this area to germinate, putting the Blue listed Douglas-fir/Arbutus plant association at risk in the long term. Removal of Scotch Broom in this area may be required in the future to maintain this ecosystem.

Vegetation types 1 & 2 contain Orchard-grass (*Dactylis glomerata*). Currently it is less than 5% however, it is likely to spread over rocky outcrop areas anywhere that there is a small soil deposit. If it does this it could choke out native vegetation, for example Common Red Paintbrush (seen in the spring by the landowner), which may be a food source for the Red-listed Edith's Checkerspot Butterfly. The Orchard-grass should be monitored and if it begins to spread, removal may be necessary to prevent negative impacts on native vegetation.

Vegetation type 4 contains Himalayan Blackberry (*Rubus discolor*). However, the blackberry is dying out due to increased shading from Douglas-fir in the area. It is anticipated that the spread of the blackberry will not be a problem. However, future monitors of the site should keep an eye on the area to ensure that the blackberry remains under control.

Trails in the covenant area lead to the old sheep shed and a rocky outcrop area. Access to the rocky outcrop area may impact some of the wildflower species in that area. Future monitoring should detail human impacts on these areas.


Erosion is a potential risk in vegetation type 4 where slopes are very steep and there is already evidence of slumping. This is a natural process that may result in some changes in both vegetation types 2 & 4.

7.0 List of Figures and Attachments

Map of the Covenant Area: Lot 2, Section 77, Jade Island, Green District as of September 4, 2004.

Appendix I. Photographs of significant features and vegetation types in the covenant area. (Filed with all parties (Trust Fund Board, Landowner and Co-covenant Holder if applicable))

Map of the Covenant Area: Lot 2, Section 77, Jade Island, Green District September 2, 2005



Legend

- | | | |
|--|---|---|
| <p> Contours (20 m. interval)</p> <p> Trail</p> <p> Property boundary</p> <p> Heavy black line denotes covenant area</p> | <p> Red/Blue listed species</p> <p> Invasive species (>20% cover)</p> <p> Sheep shed</p> <p> House</p> | <p> Located survey pins</p> <p> Photo locations</p> |
|--|---|---|

APPENDIX I: PHOTOGRAPHIC DOCUMENTATION⁴

PHOTO STATION	PHOTO STATION LOCATION	COMMENTS
A	63 m 135o of the westernmost located survey pin and 100 m 315o of the trail junction at photo station G. The photo was taken facing 135o.	This is a large patch of <i>Cytisus scoparius</i> (Scotch Broom). It should be monitored annually to ensure that it does not spread. This area may be a spot for invasive plant removal and introduction of native vegetation.
B	78 m 45o of the westernmost located survey pin and 132 m 190o of the northwesternmost located survey pin. The photo was taken facing 270o.	This is a typical snapshot of vegetation type 2. The small shrubs in the foreground are <i>Symphoricarpos albus</i> (Common snowberry), the trees are <i>Arbutus menziesii</i> (<i>Arbutus</i>) and <i>Pseudotsuga menziesii</i> (<i>Douglas-fir</i>)
C	69 m 120o of the north-westernmost located survey pin and 100 m 225o of the northernmost located survey pin. The photo was taken facing 270o.	This is a photo of the typical vegetation found in vegetation type 1. <i>Arbutus</i> and <i>Douglas-fir</i> are seen here with <i>Dull Oregon-grape</i> (<i>Mahonia nervosa</i>) and <i>Dusky fork moss</i> (<i>Dicranum scoparium</i>) in the understorey.
D	50 m 320o of the sheep shed and 75 m 285o of the easternmost located property pin. The photo was taken facing 315o.	This is a typical photo of vegetation type 3. The trees in the photo are <i>Douglas-fir</i> and <i>Western redcedar</i> (<i>Thuja plicata</i>). The understorey pictured is primarily <i>Salal</i> (<i>Gaultheria shallon</i>).
E	12 m 45o of the sheep shed and 19 m 225o of the westernmost located property pin. The photo was taken facing 225o.	This is the NE side of the sheep shed.
F	56 m 35o of the trail junction at photo point G and 107 m 0o of the southernmost located property pin. The photo was taken facing 0o.	This is the southern or downhill end of an erosion area. It should be monitored for further slumping.
G	63 m from the main house along the trail at the fork in the trail. The photo was taken facing 45o along the trail to the sheep shed.	This is the trail from the trail junction to the sheep shed. It is typical of the other trails on the property.
H	25 m 10o of the southernmost located survey pin and 50 m 135o of the trail junction at photo point G. The photo was	This is a typical photo of Vegetation type 4. The evergreen trees shown are <i>Douglas-fir</i> and <i>Western redcedar</i> . The large deciduous tree on the left is a <i>Broadleaf</i>

⁴ Photos attached in duplicate and are kept by the parties. They are not sent to the Land Titles Office with the rest of the Baseline Report.

	taken facing 0o.	maple (<i>Acer macrophyllum</i>) and the skinny deciduous tree on the right is a willow (<i>Salix scouleriana</i>). In the understorey there is Dull Oregon-grape and Oceanspray (<i>holodiscus discolor</i>).
--	------------------	--